

Dental Care




Guangzhou Yueshen Medical Equipment Co., Ltd.

Add: 2nd Floor, Building C, Wanlima Industrial Park, No.188,Xinye Road,
Haizhu District, Guangzhou, 510000, PRC
Add: 广州市海珠区新业路188号万里马园C栋2楼

Tel: 0086-20-34174605 / 34174486
Mob: 0086-18922329278 (WhatsApp & Wechat)
Fax: 0086-20-34174483
E-mail: international@ysenmed.com
Website: www.ysenmed.com / www.yuesenmed.com





►► Profile

Headquartered in Guangzhou, YSENMED is a professional medical x-ray manufacturer and supplier of various medical equipment.

YSENMED covers the business of medical imaging, medical laboratory, OT equipment, gyn & obstetrics equipment, dental supplies, ENT device, hospital furniture, CSSD solutions, and other medical equipment. Based on mutual trust & good service, our mission is to provide the most cost-effective medical equipment for hospitals and clinics around the world. So far, we have established good cooperation with customers from 188 countries or areas globally.

YSENMED insists on the idea of "Reputation First, Customers Foremost", which is the aim of our after-sale service. We have established a good after-sale service team, providing powerful backup force to our customers. In recent years, we have been granted the "Nationwide Medical Device After-sale Service Advanced Unit".

Guangzhou Yueshen Medical Equipment Co., Ltd. is committed to be the your trustworthy supplier and exporter in the field of medical equipment.



►► Customer Testimonials



YSENMED YSCT-128X 128-slice CT scanner system for Hospital Privado Luanda Sul, Angola.



YSENMED veterinary MRI system YSMRI-035 VET for Southvalley Veterinary Clinic in Philippines.



YSENMED 50kW digital x-ray system YSX500D in Nigeria.



YSENMED digital flat panel C-arm systems for a public hospital in Algeria.



YSCT-32 CT system has been installed in Aden International Modern Hospital in Yemen.



YSENMED mobile DR systems (10 sets) YSX-mDR5A for a tender in Philippines.



Doctors in a Ghana hospital are happy with YSENMED YSB-S7 color doppler ultrasound system.



YSENMED flat panel detectors have been receiving good feedbacks from customers around the world.



YSENMED CBCT system YSX1005E has been set up in a dental clinic in Myanmar.

Exhibitions

MEDICA 2023




Singapore Vet Show 2023




Philippines Medical Expo 2023




Brazil Medical Fair 2023



Myanmar Phar-Med Expo 2019



Medical Philippines Expo 2019



Contents


- 001 ----- Integrated Dental Chair Unit
- 002 ----- Mobile & Portable Dental Unit
- 003~004 ----- Accessories for Dental Unit
- 005 ----- Endodontic Device
- 006 ----- Dental Disinfection
- 007 ----- Dental Sealer/Water Distiller
- 008 ----- Dental Cabinet



YSDEN-V92



- ★ Operating light
- ★ Ceramic spittoon
- ★ Auto spittoon flush and cup filler sensor control system
- ★ Assistant control box(13-15) with 2 tubes
- ★ 3 way syringe (cold/hot water) 2 pcs
- ★ Saliva ejector with high and low suction
- ★ 24V noiseless DC motor chair with one arm.
- ★ Instrument tray with air brake with 4 tubes
- ★ Doctor chair
- ★ Round foot pedal
- ★ X-film viewer(02-03) DC 24V
- ★ 600ML Water tank(air pressurized)(built out)



YSDEN-C32



- ★ Operating light (01-01)
- ★ Rotatable tempered glass spittoon(11-10)
- ★ Auto spittoon flush and cup filler sensor control system
- ★ Assistant control box(13-15) with 2 tubes
- ★ 3 way syringe (cold/hot water) 2 pcs
- ★ Saliva ejector with high and low suction
- ★ 24V noiseless DC motor chair with one arm.
- ★ Instrument tray with air brake with 4 tubes
- ★ Doctor chair
- ★ Round foot pedal (04-01)
- ★ X-film viewer(02-03) DC 24V
- ★ 600ML Water tank(air pressurized)(built out)



YSDEN-T60



- ★ Luxurious rotatable tempered glass spittoon 1 set
- ★ 24V noiseless DC motor chair 1 set
- ★ Motor dental chair control system with four 1 set
- ★ Memory and inter- lock set 1 set
- ★ Extendable cushion and backrest 1 set
- ★ LED sensor light 1 set
- ★ Saliva ejector with high and low suction 1 set
- ★ Instrument tray with high and low suction 1 set
- ★ 3- way syringe (cold/hot water) 1 set
- ★ Full- functional foot controller 1 set
- ★ Water tank(air pressurized)(built out) 1 set
- ★ V3 operating stool 1 set
- ★ Built- in disinfection system 1 set



YSDEN-970




- ★ Sensor operating light
- ★ Luxurious rotatable tempered glass spittoon
- ★ Auto spittoon flush and cup filler sensor control system
- ★ Assistant control box(13-16) with 3 tubes and control system
- ★ Motor dental chair control system with 3-memory inter-lock set
- ★ 3 way syringe (cold/hot water) 2 pcs
- ★ Saliva ejector with low and strong suction
- ★ 24V noiseless DC motor chair with two arms.
- ★ Instrument tray with air brake with 4 tubes
- ★ Doctor chair
- ★ New model foot control with 6 functions
- ★ X-film viewer (02-03) DC 24V
- ★ 600 ml Water tank (air pressurized)(built out)



YSDEN-T30I (Implant)



- ★ Sensor LED operating light
- ★ Compensating chair frame
- ★ Luxurious rotatable ceramic spittoon
- ★ Auto spittoon flush and cup filler sensor control system
- ★ Assistant control box(13-16) with 3 tubes and control system
- ★ Motor dental chair control system with three memory and inter-lock set
- ★ 3 way syringe (cold/hot water) 2pcs
- ★ Saliva ejector with high and low suction
- ★ 24V dental DC motor chair with two armrests
- ★ Mobile Instrument tray with air brake and 4 tubes
- ★ Doctor chair
- ★ New model Foot control with six functions
- ★ X-film viewer
- ★ Water tank (build out) 1L



YSDEN-T80 (Kids)



- ★ Sensor LED operating light
- ★ Compensating chair frame
- ★ Luxurious rotatable glass spittoon
- ★ Auto spittoon flush and cup filler sensor control system
- ★ Assistant control box) with 3 tubes and control system
- ★ Motor dental chair control system with three memory and inter-lock set
- ★ 3 way syringe (cold/hot water) 2pcs
- ★ Saliva ejector with high and low suction
- ★ 24V dental DC motor chair with two arm
- ★ Instrument tray with air brake and 4 tubes(High-hang)
- ★ Doctor chair
- ★ New model Foot control with six functions (04-04)
- ★ X-film viewer
- ★ Water tank (build out) 1L



YSDEN-211



- ★ Movable Dental Cabinet 1set
- ★ Storage Drawers 6pcs
- ★ Removable Instrument Tray 1pc
- ★ Dental Silent Air Compressor 1set
- ★ Saliva Ejector 1pc
- ★ High and Low speed Handpiece Tubing 1pc each
- ★ 3-Way Syringe 1pc
- ★ Clean Water Supply System 1set
- ★ Drainage System 1set
- ★ Foot Control 2pcs



YSDEN-302S



- ★ 1pc 3-way syringe;
- ★ 1pc saliva ejector;
- ★ 2 holes or 4 holes high and low speed hand piece tubing;
- ★ 1pc LED curing light;
- ★ 1pc ultrasonic scaler;
- ★ Self-contained clean water supply system;
- ★ Self-contained drainage bottle;
- ★ Electric hight adjustment system;
- ★ Rotary Operating Hanger(Radius of rotation: 300mm)
- ★ Foot control system;



YSDEN-412




- ★ Saliva ejector 1pc
- ★ 3 way air/water syringe 1pc
- ★ High speed handpiece tube 1pc
- ★ Low speed handpiece tube 1pc
- ★ Clean water bottle 1pc
- ★ Foot pedal 1pc



YSDEN-331



- ★ Oilless Air Compressor Motor 1pc
- ★ 3 Way -Springe 1pc
- ★ High Speed Handpiece Pipe 1pc
- ★ Low Speed Handpiece Pipe 1pc
- ★ High Suction(Ajust) 1pc
- ★ 6L Air Tank 1pc
- ★ Water Bottle 1pc
- ★ Drain Bottle 1pc
- ★ Foot Control 1pc



YSDEN-361



- ★ Auto-loaded air feed system 1pc
- ★ 2/4 hole handpiece tube 2pcs
- ★ Foot control 1pc
- ★ Clean water bottle 1pc
- ★ Stainless Tray 1pc



YSDEN-325



- ★ Plastic spittoon 1 set
- ★ Rechargeable LED Light 1 set
- ★ Flushing system 1 set
- ★ Water supply system 1 set
- ★ Portable Turbine 1 set
- ★ Saliva ejector lset 1 set
- ★ 3-way syringe 1 set
- ★ High speed tubing interface 1 set
- ★ Low speed tubing interface 1 set



Dental Care

Accessories for Dental Unit



YSDEN-AC30L (1 for 1)

- ★ Supply voltage:220V AC 50Hz
- ★ Electric current:2.4A
- ★ Frequency:480W
- ★ Power:70L/min
- ★ Capacity discharge:0.8MPa
- ★ Air container volume:30L
- ★ Noise:56~65dB



YSDEN-AC35L (1 for 2)

- ★ Supply voltage:220V AC 50Hz
- ★ Electric current:3.74A
- ★ Frequency:800W
- ★ Power:100L/min
- ★ Capacity discharge:0.8MPa
- ★ Air container volume:35L
- ★ Noise:56~65dB



YSDEN-AC60L (1 for 3)

- ★ Supply voltage:220V AC 50Hz
- ★ Electric current:4.8A
- ★ Frequency:1100W
- ★ Power:140L/min
- ★ Capacity discharge:0.8MPa
- ★ Air container volume:60L
- ★ Noise:56~65dB



YSDEN-SJ Handpiece Set

- ★ 2pcs high speed standard handpiece
- ★ 1pc contra angle
- ★ 1pc straight head
- ★ 1 pc low speed air motor
- ★ 1pc standard cartridge



YSDEN-K3 Ultrasonic Scaler

- ★ It is a new concept patented ultrasonic scaler.
- ★ The first eye-catchy touch-screen ultrasonic scaler in the world.
- ★ Applied a LED light, doctors see better.
- ★ Handpiece tip does not get "hot" when working by using the first patented the wave filtering techniques in the world.
- ★ The first scaler that applied?pause-hook concept.
- ★ It doesn't need an ordinary pedal for switching the hand-piece.
- ★ It has rubber cable wire protectors, which will make the cable robust.



YSDEN-P9 Ultrasonic Scaler

- ★ Auto Water Supply Scaler with H3 Alloy Detachable(Auto-clavable, EMS Compatible) Handpiece,
- ★ TW3 Alloy Torque Wrench, 2pcs
- ★ Bottles, 6pcs
- ★ Tips (T1*1, T2*1, T3*1,T4*1, T5*1, E1*1)
- ★ Scaling, Perio and



Dental Care

Accessories for Dental Unit



YSDEN-CL Curing Light

- ★ Working voltage:100-220V 50-60Hz
- ★ Battery voltage:DC3.7-4.2V
- ★ Wavelength:420-480nm
- ★ Light intensity:1000-1200mW/cm2
- ★ Capability of battery:2400mAh
- ★ Package specification:225*145*65mm
- ★ Gross weight:0.7 kg



YSDEN885 Teeth Whitening

- ★ With 5 inch touch sreen
- ★ With High/middle/low power output.
- ★ With blue / red / blue & red & purple / blue & purple light. (Blue light for treatment, red light for relax the month, purple light for special whitening gel H2O2+TiO2.)
- ★ Can be time, and clean the time by the key back of the machine.
- ★ Light source: 4~5 W blue LEDs / 2~3W red LEDs / 1W purple LEDs.
- ★ Output spectrum: 430nm~490nm (Blue) & 620~640nm (Red) & 380nm~420nm (Purple)
- ★ Voltage: AC 100~240 V 50~60 Hz 1.2A



YSDEN521 Intraoral Camera

- ★ With USB, HDMI interface
- ★ Can save 128 pcs pictures
- ★ With 17inch LCD monitor
- ★ Can connect wireless ,U disk , and other equipment
- ★ 5.0 mega pixels ,1/4 sony CCD Handpiece
- ★ Build -in 6pc High Brightness long-life withe
- ★ The front three control button: Freeze, Save, Previous and Next, Image Delete. And the reserve side control
- ★ Button: Freeze and Save



YSDEN307 Amalgamator

- ★ Voltage: 220V/50Hz (110V/60Hz are available)
- ★ Absorbed power: 200W
- ★ Fuse: 2A
- ★ Mixing frequency: 4500 tr/mn(rpm)
- ★ Noise: 65dB
- ★ Amplification intermittent
- ★ Programmable mixing time 1-99 sec.



YSDEN-ZYJ01 Handpiece Lubricant Unit

- ★ Rated voltage: AC220V, 50Hz AC110V, 60Hz
- ★ Air pressure: 0.35-0.6MPa (3.5-6.0kgf / cm²) (50-80ps)
- ★ Swirl pot capacity: 350ml
- ★ Dimensions (length × height × depth): 285mm * 355mm * 275mm
- ★ Net weight: 7.5kg



YSDEN-SU1 Suction Unit

- ★ Power: 750W
- ★ Vacuum: -12KPa
- ★ Pump flow: 300L/min
- ★ Noise: 45dB
- ★ Net height : 22kg
- ★ Size: 30*36*61cm
- ★ Volt./Hz: 110-240V 50/60Hz



Dental Care

Endodontic Device




YSDEN-S200 3D Oral Scanner

- ★ Fast scanning, linear scanning speed up to 80mm/s;
- ★ Full arch scanning speed up to 90s.
- ★ New smaller scanner tip, with internal heating system to keep constant temperature inside the patient mouth during scanning.
- ★ The mirror angle of the scanning tip is close to 45 degrees, which can take into account the mesial and distal areas at the same time.
- ★ New screw type cable connection ensures a better connection between the cable and the handpiece.
- ★ The overall appearance of the handpiece is with streamline design, the net weight of the handpiece is 210g, and the hand-held design makes the operation much more convenient and simpler.



YSDEN-OS30 Obturation System

- Heating pen**
- ★ Front heating, safe and comfortable
 - ★ 1s rapid heating, ready to use
 - ★ 360° ring button to control heating, easy to operate
 - ★ 10s automatic power-off protection, safe and energy-saving
- Filling pen**
- ★ Professional anti-leakage guttapercha design
 - ★ Settable temperature: 150 °C, 180 °C, 200 °C, 230 °C
 - ★ Rapid heating, heating to above 200 °C in 60 seconds at room temperature
 - ★ With cleaning mode and safe energy-saving mode



YSDEN-RP6 Apex Locator

- ★ America made high quality chip, digital measurement ensures accuracy
- ★ Multi-frequency locating technology, keep accurate from environment interference
- ★ Multi-color screen, touch inductive buttons
- ★ Battery: 3.7V/2600mAh
- ★ Weight: 446g
- ★ Dimensions: 131 mm*75 mm*105 mm



YSDEN-YG4 Endodontic Treatment

- ★ Ultraprecise motor originating in German, low noise and vibration
- ★ Large colorful OLED screen, all angles visible
- ★ Four working models: Alone root-canal length measuring, Alone root-canal enlargement, Reciprocating rotary motion and Both root-canal length measuring and enlargement
- ★ Six functions: Multi-Frequency length measuring skill, Normal enlargement, Automatic inversion in apical zone, Reciprocating motion, Automatic deceleration in apical zone, Automatic start/stop of motor
- ★ Main accessories include: Contra-angle hand piece, File clip, Lip hook and Measuring file, which can be sterilized in high temperature and pressure to avoid cross infection



YSDEN-YG1 Endodontic Treatment

- ★ Ultraprecise motor originating in German, low noise and vibration
- ★ Colorful OLED screen, all angles visible
- ★ Three working modes: Reciprocating motion, Continuous motion, Automatic reverse
- ★ MINI slow Contra-angle
- ★ Built-in large capacity rechargeable lithium battery, a full charge can be working continuously for more than 2 hours



YSDEN-E100 Implant Motor

- ★ Input Power Supply: AC100-110V or AC220-240V 50/60HZ;
- ★ Output Power: 210W;
- ★ Motor Rotation Speed Range: 500rpm-4000rpm (1:1);
- ★ Torque Range: 10-60N.cm (20:1);
- ★ Coolant Flow: 0-100ml/min;
- ★ Stored Programs: 10 types;
- ★ Foot Switch Control: Coolant Flow, Program, Forward / Reverse, Speed.



Dental Care

Dental Disinfection



YSMJ-VRY-A12/18/23 Class B Autoclave

- ★ Inner chamber of the Sterilizer (Diameter X Depth): 12L:200mm X 360mm 16L: 229mm X 360mm 18L:245mm X 350mm 23L: 245mm X150MM
- ★ Sterilizer product size(length*width*height): 23L:660mm X 442mm X 380mm 18L:540mm X 442mm X 380mm
- ★ Related Voltage: 220V/50Hz, 110V/60Hz
- ★ Related Power: 1800w
- ★ Sterilization(Pressure/Temperature): 90~130KPa/121 °C (standard atmospheric pressure) 20~230KPa/134 °C (standard atmospheric pressure)
- ★ Water tank Capacity: 2L
- ★ Each cycle water consumption: 0.3L
- ★ Minimum tank level alarm: 0.5L



YSMJ-TDA-C18/23 Class B Autoclave

- ★ The newly-designed model with opening water tank on the top, strictly meets the standard of EN13060, which makes wash and cleaning much more convenient.
- ★ It adopts European B standard with 3-times pre-vacuum preceding vacuum drying. Residual humidity is less than 0.2%.
- ★ Vacuum measurement reaches-0.8bar. It sterilizes and sanitizes miscellaneous packed or unpacked medical instruments, solid or A-type hollow, whether with multi-apertures or inset pipes. It efficiently tides air from every hollow area of any hollow instrument, such as hand-piece, making sure that water steam reaches every corner.
- ★ Fuzzily computer controlled, digital bright show. The interface is modularized panel for easy operation.
- ★ It is installed with BOWIE&DICK which measures the penetration of water steam.
- ★ Mini printer can be attached to record the process of sterilization Volume: 18L / 23L



YSMJ-JN-29/45 Class B Autoclave

- ★ European Class B and S, in accordance with EN 13060: 2004 standard, with three times pre-vacuum and one times pre-vacuum, pulse drying function
- ★ Vacuum index up to -0.85bar, the device residual humidity <0.2%. Being able to sterilize instruments that are packed, unpacked, solid, Hollow A, Hollow B and Hollow B pipeline. High efficiency, allwave sterilizing.
- ★ HD color touchscreen, Menu interface, PC Automatic control.
- ★ With tests of "BOWIE & DICK", "HELIX", "VACUUM", "PARTS PERFORMANCE".
- ★ User-defined Function. Adjust sterilization temperature, vacuum times, sterilization time, drying time.
- ★ Volume: 29L / 45L



YSDEN-UV08 UV Disinfection Cabinet

- ★ Automatic temperature control and disinfection are equipped the cabinet provides high efficient sterilization.
- ★ Luxurious spray painting appearance, easy to clean.
- ★ Main parts are fabricated with quality original components.
- ★ Flexible to install and easy to use.
- ★ Rated Voltage: 220V/50Hz
- ★ Capacity: 27L
- ★ Disinfection Temperature: 35°C (Constant temperature)
- ★ Disinfection Time: 15 mins



YSDEN-QX160 Dental Instrument Washer Disinfector

- ★ Power: 220V 50Hz ≤1760W
- ★ Rated water pressure: 0.04-1.00Mpa
- ★ Internal flow pressure: 0.3-0.4Mpa
- ★ Filter: porosity 96% Filter speed: 20-85m³/h
- ★ Capacity: 160L
- ★ Machine dimension: 590*570*830(mm)
- ★ Weight: ≤44.5kg
- ★ Work noise: ≤50dB



YSDEN-CS05 Ultrasonic Cleaner

- ★ Voltage: 110V/220V AC
- ★ Ultrasonic Power: 120W
- ★ Capacity: 5L
- ★ Frequency: 40Hz
- ★ Heating Power: 90W
- ★ Scope of temperature: 0-80°C
- ★ Scope of time: 1-99min
- ★ Inner Size: 240*140*150mm



Dental Care

Dental Sealer/Water Distiller



YSDEN-SEAL06A




- ★ Voltage: 220V, 50Hz
- ★ Power: 500W
- ★ Sealing length (Max. mm): 250
- ★ Creasing width (Min. mm): 10
- ★ Weight: 6kg
- ★ Packing size: 500*270*390mm



YSDEN-SEAL10



- ★ Voltage(V/Hz): 220/50
- ★ Power(W): 500
- ★ Seal mark width(mm): ≥12
- ★ Pack Size(mm): 560x260x220
- ★ Sealing speed: 10±0.5m/min
- ★ Seal the edge:0~35mm Adjustable
- ★ Operating temperature: 60~220 °C Adjustable



**YSDEN-MJD01
Sterilization Pouches**



- ★ Width: 55/75/100/150/200mm
- ★ Length: 200m/roll
- ★ Disinfecting Type: STEAM/EO STERILE



YSDEN-ZL4 Water Distiller



- ★ Voltage: 220/110V
- ★ Frequency: 50/60Hz
- ★ Power: 800W
- ★ Output: Over 6.5 Gallons per Day (26 Liters)
- ★ Capacity: 4L
- ★ Protection temperature: 300°C



YSDEN-DBT01 Packing Table



- ★ Material: 304 stainless steel
- ★ Size: 200*120*80/145cm



**YSDEN-CCG01
Sterile Storage Cabinet**



- ★ Intelligent ultraviolet sterilization lamp
- ★ Intelligent positive pressure fan
- ★ Can be customized 40-160L
- ★ Stainless steel liner
- ★ Auxiliary ozone disinfection
- ★ Power Supply : 220V 50Hz或110V 50Hz
- ★ Rated Power :1200W
- ★ Time Range : 0-99min



Dental Care

Dental Cabinet



YSDEN-D10



- ★ All stainless steel cabinet body,each board of the cabinet is double plate (luxury, antifingerprint, pollution-free, anti-corrosion, lasting rustless, durable)
- ★ Built-in damping drawer slide or built-in touch type drawer slide (BLUM) available for customers' choices.
- ★ Tempered tabletop or artificial marble tabletop available, with professional treating,wear and corrosion resistance, anti-penetration, no stain, easy to clean.
- ★ Exquisite kirsite handle
- ★ Including two professional classification ABS trays, for different dental equipment display
- ★ Cabinet Size: L=495mm,H=820mm,W=495mm
- ★ Weight: 53kgs



YSDEN-D20



- ★ All stainless steel cabinet body,each board of the cabinet is double plate (luxury, antifingerprint, pollution-free, anti-corrosion, lasting rustless, durable)
- ★ Built-in damping drawer slide or built-in touch type drawer slide (BLUM) available for customers' choices.
- ★ Tempered tabletop or artificial marble tabletop available, with professional treating,wear and corrosion resistance, anti-penetration, no stain, easy to clean.
- ★ Exquisite kirsite handle
- ★ Including two professional classification ABS trays, for different dental equipment display
- ★ Cabinet Size:L=495mm,H=820mm,W=495mm
- ★ Weight: 43kgs



YSDEN-WS2



- ★ All stainless steel cabinet body,each board of the cabinet is double plate (luxury, antifingerprint, pollution-free, anti-corrosion, lasting rustless, durable)
- ★ Built-in damping drawer slide or built-in touch type drawer slide (BLUM) available for customers' choices.
- ★ Tempered tabletop or artificial marble tabletop available, with professional treating,wear and corrosion resistance, anti-penetration, no stain, easy to clean.
- ★ Exquisite kirsite handle
- ★ Including two professional classification ABS trays, for different dental equipment display
- ★ Cabinet Size: L=800mm,H=850mm, W=500mm



YSDEN-ZH02



- ★ All stainless steel cabinet body,each board of the cabinet is double plate (luxury, antifingerprint, pollution-free, anti-corrosion, lasting rustless, durable)
- ★ Built-in damping drawer slide or built-in touch type drawer slide (BLUM) available for customers' choices.
- ★ Tempered tabletop or artificial marble tabletop available, with professional treating,wear and corrosion resistance, anti-penetration, no stain, easy to clean.
- ★ Exquisite kirsite handle
- ★ Including two professional classification ABS trays, for different dental equipment display
- ★ Cabinet Size: L=2015mm,H=850mm, W=500mm



YSDEN-ZH13



- ★ All stainless steel cabinet body,each board of the cabinet is double plate (luxury, antifingerprint, pollution-free, anti-corrosion, lasting rustless, durable)
- ★ Built-in damping drawer slide or built-in touch type drawer slide (BLUM) available for customers' choices.
- ★ Tempered tabletop or artificial marble tabletop available, with professional treating,wear and corrosion resistance, anti-penetration, no stain, easy to clean.
- ★ Exquisite kirsite handle
- ★ Including two professional classification ABS trays, for different dental equipment display
- ★ Cabinet Size: L1=1710mm,L2=1215mm, H=850mm, W=500mm



YSDEN-ZH15



- ★ All stainless steel cabinet body,each board of the cabinet is double plate (luxury, antifingerprint, pollution-free, anti-corrosion, lasting rustless, durable)
- ★ Built-in damping drawer slide or built-in touch type drawer slide (BLUM) available for customers' choices.
- ★ Tempered tabletop or artificial marble tabletop available, with professional treating,wear and corrosion resistance, anti-penetration, no stain, easy to clean.
- ★ Exquisite kirsite handle
- ★ Including two professional classification ABS trays, for different dental equipment display
- ★ Cabinet Size: H=850mm, W=500mm